

TRANSMITTA		DATE
Declassified in Part - Sanitized Copy Approved for Release 2011/12/29 : CIA-RDP88G01332R000901110003-7		
TO: DDA		
ROOM NO.	BUILDING	
7D18	Has	
REMARKS:		
Please forward the attached to the appropriate office.		
Thanks,		
FROM: DCI/PAC		
ROOM NO.	BUILDING	
1016	Ames	
FORM NO. 1 FEB 56 241		
REPLACES FORM 36-8 WHICH MAY BE USED.		

TO: (Name, office symbol, room number, building, Agency/Post)		Initials	Date
1. OL/PMS			
2.			
3.			
4.			
5.			
Action	File	Note and Return	
Approval	For Clearance	Per Conversation	
As Requested	For Correction	Prepare Reply	
Circulate	For Your Information	See Me	
Comment	Investigate	Signature	
Coordination	Justify		
REMARKS			

#1 - ACTION, AS APPROPRIATE.

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions


FROM: (Name, org. symbol, Agency/Post)	Room No.—Bldg.
EXA/DDA	
	Phone No.

8041-102

* U.S.G.P.O. 1963 - 421-529/320

OPTIONAL FORM 41 (Rev. 7-76)
Prescribed by GSA
FPMR (41 CFR) 101-11.206

86-14128



**WASHINGTON EXPORT
INFORMATION, INC.**

INTERNATIONAL MARKETING, RESEARCH AND MANAGEMENT



SUSITE 606, PARK LAND BUILDING
2025 EYE STREET, N.W., WASHINGTON, D.C. 20006, U.S.A.
TELEPHONE (202) 638-2168 CABLE: WEXINFO TELEEX 248816

DIRECTORS

WALTER M. BASTIAN, ECONOMIC ANALYSIS
ROYAL D. BISBEE, RESEARCH
DANIEL P. OLEKSIW, MARKETING
JAMES R. THOMASON, GOVERNMENT LIAISON

October 31, 1986

Office of Public Affairs
Central Intelligence Agency
Washington, D.C. 20505

Gentlemen:

Can you suggest the person with whom we should speak to discern possible interest in the X-Ray Spray Letter Bomb Detector (information sheet attached).

We are also interested in calling to the attention of the Agency the various types of Tear Gas grenades which are currently being used by law enforcement agencies, several of which are in this area and can attest the grenade's usefulness.

Would you be kind enough to have someone call with any suggestions which you might have. My direct line is 429-0366.

Sincerely,


Walter M. Bastian
Director

Page Denied

Next 1 Page(s) In Document Denied